

ST SERIES V-RAKE

- Versatile Design • Rugged Construction •
- Australian Made •

Designed and built in Australia, the ST SERIES V-RAKES are manufactured by agricultural implement specialists K-Line Industries.

The extra heavy duty design of these rakes ensure a long life, with low maintenance, in harsh field conditions. The outstanding feature of these machines are the extra heavy duty reels, the simple windrow width adjustment (Pat. applied for) and the double-hinged raking beams.



- Extra heavy duty construction for contractors
- Many features included for safe and efficient operation
- Induction hardened pins - increased wear resistance
- Various options available to suit individual requirements



Advanced Design
Simple windrow
width adjustment

(PATENT APPLIED FOR)

ST-R Rear Steer option



- This option incorporates mechanical rear steer for excellent tracking around corners.
- The degree of steering is fully adjustable to allow for various methods of operation.
- Excellent windrows for ease of pickup by baler (especially noticed when turning).
- Short turning radius is useful when raking in irrigation bays.

Splitter Kit options

A splitter kit is recommended when raking three rows into one. It splits the centre row to either side before the new row is formed for more even haymaking.

- simple adjustment and transport setting.
- full size reel (same size as rest of the rake).
- STS2 2-Reel manual lift
- STH2 2-Reel hydraulic lift (pictured)
- STS4 4 Reel manual lift



ST-H Hydraulic Fold option



- With the hydraulic fold option the raking width is controlled by hydraulics from the tractor seat for ease of operation.
- From a narrow transport width to full raking width is controlled by a single hydraulic cylinder.
- Substantial reduction in setup time with accurate on-the-go control of raking width.
- Safety bar provided for transport



ST-I Inline (combination) option



V-RAKE/INLINE COMBINATION RAKE

- Ability to swing one side of rake behind to have all reels in one line for inline raking.
- Advanced design to allow excellent flow of windrow when turning.
- Simple and efficient method of converting from inline to V-Raking.

ST Series V-Rakes

The ST-series of rakes have been designed and built by K-LINE INDUSTRIES to a standard of strength and durability required by Australia's unique and demanding conditions.

The design of the ST-series rakes include many safety and efficiency features that reflect the extensive consultation with hay contractors and farmers in it's development.

- Extra heavy duty construction for contractors.
- Induction hardened pins - increased wear resistance.
- Double hinged raking beams - superior strength.
- Extra heavy duty reels - 8mm steel centres.
- Simple and safe windrow width adjustment (patent applied for).
- Hydraulic reel lift standard on all models.
- Long reel support arm and individually sprung for improved floatation on uneven terrain.
- Non-greasable high density polyethylene bushes on reel support

Any combination of options are available to suit individual requirements



Transport width 2.5m

Due to continual product development construction and specifications are subject to change without notice.

PRODUCT CODE	DESCRIPTION	REEL LIFT	OPERATING WIDTH*	TRANSPORT WIDTH
ST-10	10-Reel V-Rake	Hydraulic	6.5m	2.5m
ST-12	12-Reel V-Rake	Hydraulic	7.4m	2.5m
ST-14	14-Reel V-Rake	Hydraulic	8.2m	2.5m
ST-16	16-Reel V-Rake	Hydraulic	9.2m	2.5m
ST-18	18-Reel V-Rake	Hydraulic	10.1m	2.5m
ST-20	20-Reel V-Rake	Hydraulic	11.0m	2.5m
ST-22	22-Reel V-Rake	Hydraulic	12.1m	2.5m
ST-S2	2- Reel Splitter Kit	Manual		
ST-H2	2- Reel Splitter Kit	Hydraulic		
ST-S4	4- Reel Splitter Kit	Manual		
ST-PH	Poly Hoops	-	(Highly Recommended)	
STHP	Hydraulic Hand Pump	-	(For Reel Lift Only)	
ST-R	Rear Steer Option	-		
ST-H	Hydraulic Fold Option	-		
ST-I	Inline/Combination Option	-		
ST-HW	Hydraulic Windrow width adjustment	-		
* Operating width can vary depending on raking conditions				
Any combination of options are available to suit individual requirements				

K-LINE
INDUSTRIES

PO BOX 340, 74 YOUNG ROAD
COWRA NSW 2794
AUSTRALIA
Phone: 02 6341 4400